
Printed by EAST

UserID: dmariam
Computer: WS07216
Date: 2/15/07
Time: 4:21 PM

BEST AVAILABLE COPY

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	22	substrate\$1 same (test\$3 or examin\$6 or inspect\$4) same (edge near\$3 bead)	US- PGPUB; USPAT	2007/02/15 11:21	
2	BRS	L2	3	1 same expos\$5	US- PGPUB; USPAT	2007/02/15 11:22	
3	BRS	L3	1	2 and (void\$1 or defect\$4 or crack\$1 or flaw\$1)	US- PGPUB; USPAT	2007/02/15 11:22	
4	IS&R	L4	2754	(382/141-149).CCLS.	US- PGPUB; USPAT	2007/02/15 11:22	
5	BRS	L5	1	1 and 4	US- PGPUB; USPAT	2007/02/15 11:22	
6	BRS	L6	40	(edge\$1 near\$2 bead near\$2 (eliminat\$4 or remov\$4)) same inspect\$4	US- PGPUB; USPAT	2007/02/15 11:24	
7	BRS	L8	1	1 and 4	US- PGPUB; USPAT	2007/02/15 11:24	
8	BRS	L7	15	6 same (defect\$4 or error\$1 or flaw\$1 or void\$1 or crack\$1)	US- PGPUB; USPAT	2007/02/15 11:50	
9	BRS	L9	8	(inspect\$4 near\$3 (surface or substrate\$1)) same (edge\$1 near\$3 bead)	US- PGPUB; USPAT	2007/02/15 11:29	
10	BRS	L10	13	(edge\$1 near\$2 bead\$1 near\$2 (eliminat\$4 or remov\$4)) and inspect\$4 and (edge\$1 near\$2 exposure\$1)	US- PGPUB; USPAT	2007/02/15 11:36	

Item #	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
11	BRS	L11	7	10 and (void\$1 or crack\$1 or defect\$4 or flaw\$1)	US- PGPUB; USPAT	2007/02/15 11:47	
12	BRS	L12	1	"6947588".pn.	US- PGPUB; USPAT	2007/02/15 11:48	
13	BRS	L13	1	12 and (edge\$1 near2 bead\$1)	US- PGPUB; USPAT	2007/02/15 11:48	
14	BRS	L14	0	12 and (edge\$1 near2 exposure\$1)	US- PGPUB; USPAT	2007/02/15 11:49	
15	BRS	L15	17	(edge near2 bead\$1 near2 (eliminat\$4 or remov\$4)) and (edge\$1 near3 exposure\$1 near5 wafer\$1)	US- PGPUB; USPAT	2007/02/15 11:52	
16	BRS	L16	10	15 and (defect\$4 or error\$1 or flaw\$1 or void\$1 or crack\$1)	US- PGPUB; USPAT	2007/02/15 11:50	
17	BRS	L17	7	16 and (measur\$6 or test\$3 or examin\$6 or inspect\$4)	US- PGPUB; USPAT	2007/02/15 11:50	
18	BRS	L18	18	(edge near2 bead\$1 near2 (eliminat\$4 or remov\$4)) and (edge\$1 near3 exposure\$1 near5 wafer\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 11:59	

	Type	L #	Hits	Search.Text	DBs	Time Stamp	Comments
19	BRS	L19	2	"7142300".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 12:00	
20	BRS	L20	1	"20070019196".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 12:00	
21	BRS	L21	2	"6565920".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 14:49	

Case #	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
22	BRS	L22	591	(photoresist near3 pattern\$1) same inspect\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 14:49	
23	BRS	L23	97	22 same reticle	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 14:51	
24	BRS	L26	0	23 same (edge\$1 near3 bead\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 14:51	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	L27	2	23 and (edge\$1 near3 bead\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 14:52	
26	BRS	L28	3	((edge\$1 near3 exposure\$1 near3 wafer) and (edge\$1 near3 bead\$1) and (robot near10 (transfer\$3 or transport\$3)) and inspect\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 14:57	
27	BRS	L29	1	((edge\$1 near3 exposure\$1 near3 wafer) near10 (edge\$1 near3 bead\$1)) same (result\$3 near10 inspect\$4)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 14:58	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
28	BRS	L30	8	(edge\$1 near3 bead\$1) same (result\$3 near10 inspect\$4)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 15:56	
29	BRS	L31	6	(edge\$1 near3 bead\$1 near5 (eliminat\$4 or rins\$3 or remov\$4)) same stage\$1 same image\$1 same inspect\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 15:58	
30	BRS	L32	5	31 and exposure\$1	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 16:08	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
31	BRS	L33	2	"6829047".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 16:08	
32	BRS	L34	0	33 and bead\$1	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 16:08	
33	BRS	L35	0	33 and (edge\$1 near\$5 (eliminat\$4 or remov\$4 or rins\$3))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 16:09	

I	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	L36	1	33 and (edge\$1 near5 (correct\$4 or eliminat\$4 or remov\$4 or rins\$3))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 16:10	
35	BRS	L37	2	"5917588".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 16:10	
36	BRS	L38	1	37 and (edge\$1 near5 (correct\$4 or eliminat\$4 or remov\$4 or rins\$3))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/15 16:12	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.